




4-Way Buffered Relay Card TS0843 Installation Guide




Description and Features

- The 4-Way Buffered Relay Board is a strip of 4 snap-off relay modules that can be used wherever auxiliary relays are required. The positive and negative trigger inputs allow the relays to be activated from a variety of sources.
- The double pole, double throw, 2 Amp relay contacts provide a range of relay connection options.
- Snap off PCB modules can be used as a strip of relays, or as individual modules.
- Small PCB modules can be mounted on double 'B', 'B' and 1/2 'B' size boards.
- Common power tracts span all relay modules, allowing a single power connection to supply all modules in the strip.
- Double pole double throw relays are provided with both Normally Open and Normally Closed contacts.
- "Common" relay contacts can be linked to +12V or 0V as required.

Parts list

- 12 x M3 screws
- 1 x installation guide
- 1 x TS0843
- 12 x spring standoffs

Connections



Links





Diagram: the TS0843 can be 'snapped' into 2-way or single relays.





N4131

Please note, this product conforms to the standards set by Standards Australia on behalf of the Australian Communications Authority (ACA). GE Interlogix recommends enclosure covers remain fitted to comply with C-Tick.

WARNING:

This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

Disclaimer Details

The customer is responsible for testing and determining the suitability of this product for specific applications. In no event is GE Interlogix Pty Limited responsible or liable for any damages incurred by the buyer or any third party arising from its use, or their inability to use the product.

Due to ongoing product development, the contents of this manual can change without notice. We make every effort to ensure the accuracy of this manual. However, GE Interlogix Pty Limited assumes no responsibility for errors or omissions in this manual or their consequences. Please notify us if you find errors or omissions.

Technical Support

GE Interlogix Pty Limited
646 Whitehorse Road, Mitcham, Victoria, 3132,
Australia
Phone: +61 3 9259 4700
Fax: +61 3 9259 4799
Email: techsupport@GE-Interlogix.com

Technical Support hours are from 9:00 AM to 5:30 PM, Monday to Friday. (EST)

Copyright © GE Interlogix 2003

Installation Guide 2.0
March 2003
Part number: MAINST-TS0843